



Fruit and Vegetable Innovations

The best result...

uni-chains provides the complete solution to all of your conveyance needs/problems from depalletizer to box accumulation. We have developed products that will exceed your expectations whether you need a high speed belt, or a wear resistant chain/belt.



uni MPB 20%
Open Belt



uni MPB Closed Belt



uni Flex SNB-W Belt

Let uni-chains help you increase efficiency and reduce production costs at the same time.

Advantages of uni Conveyor Chains:

- Less downtime due to higher tensile strength
- Longer chain life due to wear resistant materials
- Quick and easy installation with unique locking system
- Increased friction with molded rubber inserts
- Safety chains reduce risk of clothes or fingers being caught/trapped
- F.D.A. approved materials and U.S.D.A. accepted products (see www.unichains.com for details)

Advantages of uni Modular Plastic Belt:

- Strong and thick product supports allow more load without breakage
- Various surface openings available for drainage and airflow
- Special wear resistant materials increase belt life
- High tensile strength with reinforced side flexing belts
- Easy to clean Roller Top belt for crate/box accumulation
- More load/longer conveyors with unique sprocket engagement
- F.D.A. approved materials and U.S.D.A. accepted products (see www.unichains.com for details)

www.unichains.com



Modular Plastic Belt and Conveyor Chain Solutions for the Fruit & Vegetable Industry

uni M-SNB M2	uni M-QNB C	uni M-QNB with rubber	uni SNB M2	uni SNB M2 Rib	uni Flex SNB-WT Integral molded edge wearpart
Standard materials: POM-D PP PE	Standard materials: POM-SLF PP PP	Standard materials: POM-SLF PP PP	Standard materials: POM-D PP PE	Standard materials: POM-D PP PE	Standard materials: POM-D POM-D PP PP PA6.6 PA6.6
uni QNB C	uni QNB with rubber	uni CNB 22%	uni Light EP 22% fine meshed	uni MPB C	uni MPB-NE
Standard materials: POM-SLF PP	Standard material: PP Rubber material: Thermolast K, black	Standard materials: POM-D PP PP PE	Standard material: PP	Standard materials: POM-I POM-I PP PP PE-I PE-I	Standard material: PE-I
uni MPB RO	uni OPB 4V-23%	uni 820	uni 882	uni 880 Super Flex	uni 3200 TAB
Standard materials: POM-I POM-I Roller: POM-I	Standard materials: PP PP	Standard materials: POM-D POM-D POM-LF POM-SLF	Standard material: POM-LF	Standard material: POM-LF	Standard material: POM-I

Application Guidelines

D/LF/SLF-POM • PP-Polypropylene • PE-Polyethylene

Belt/Chain Style	Belt/Chain Pitch	Depalletizer	Overhead Transport	Accumulation Table	Filling Lines	Tank (Elevator)	Steam Peeler	Inspection Table	Blancher	Elevator to Fill Machine	Scaler	Cooler	Metal Detectors	Canning Lines	Case/Box Conveyors	Case/Box Conveyor Incline/Decline	Case/Box Accumulation
uni M-SNB M2	0.50 in.	D	D										PE	D			
uni M-QNB C	0.50 in.			SLF	SLF						SLF			SLF			
uni M-QNB with rubber	0.50 in.															PP	
uni SNB M2	1.00 in.	D	D						PP	PP			PE	D			
uni SNB M2 Rib	1.00 in.	SLF		SLF								PP					
uni Flex SNB-W/WO/WT	1.00 in.				D									D	D	D	
uni QNB C	1.00 in.			SLF	SLF						SLF			SLF			
uni QNB with rubber	1.00 in.															PP	
uni CNB/18%/22%	1.00 in.					PE/PP	PP	PP		PP			PE				
uni Light EP 0-46%	1.50 in.					PP	PP	PP		PP							
uni MPB C/18%/20%/22%	2.00 in.					PE/PP	PP	PP	PP	PP							
uni MPB-NE	2.00 in.					PE											
uni MPB RO	2.00 in.																D
uni OPB 4V-23%/Rib	2.00 in.			PP					PP			PP					
uni 820/831/821	1.50 in.				LF									LF	LF		
uni 880/879/882	1.50 in.				LF									LF	LF	LF	
uni 880 Super Flex	1.50 in.				LF									LF	LF		
uni 3200 TAB	2.00 in.														D		D